





ZERUST<sup>®</sup> is a product of Northern Technologies International Corporation







m or (B) 18,000 RMS ethical A, 600VAC am A 08 belt

when protected by Type FDC thed by Type FD or EGE crout CO PARS SYM

## WHY CHOOSE ZERUST<sup>®</sup>?

## PROVEN SAFE, RELIABLE, AND EFFECTIVE CORROSION SOLUTIONS FOR THE ELECTRONICS INDUSTRY

ZERUST<sup>®</sup> corrosion inhibiting products are a costeffective way to protect electrical equipment from rust and corrosion during operation, storage, and shipping. For over 50 years, ZERUST's proprietary vapor corrosion inhibitor (VCI) technology has been proven safe and effective for protecting metals. An analysis of compatibility using recognized test procedures can be arranged with a local ZERUST<sup>®</sup> representative.



### THE BENEFITS OF ZERUST<sup>®</sup> CORROSION INHIBITOR PRODUCTS



- Longer equipment life and sustained reliability
- Lower operating and maintenance costs
- Reduced downtime and fewer repairs
- Protection from corrosion for multiple metal types
- Optional protection, such as electrostatic discharge (ESD) and acid-gas neutralizers

### **HOW ZERUST® VAPOR CORROSION INHIBITORS (VCIs) WORK**

VCI molecules inhibit corrosion by preventing moisture and environmental elements from reacting with the metal surface. Since VCI molecules are transported through the air, they must be trapped around the metal surface using a poly bag or other enclosure. Later, when the enclosure or package is opened, the ZERUST<sup>®</sup> corrosion inhibiting layer dissipates, leaving clean, dry, and residue-free metals.



## ZERUST<sup>®</sup> IS SAFE FOR ELECTRONICS


### **ZERUST® VCI PROTECTION**

- Does not affect the functionality of the circuitry
- Does not harm printed circuit boards and sensitive ICs
- Does not leave galvanic effects, conductive residues, or surface changes
- Is clean, dry, and invisible corrosion-inhibiting technology
- Is safe and easy to use for personnel



## SAFE FOR ELECTRONICS, TOUGH ON HUMIDITY AND CONTAMINANTS

Reduce electronic equipment failures that lead to downtime due to corrosion with ZERUST<sup>®</sup> corrosion protection. Electronic enclosures are often in corrosive atmospheres with high humidity, condensation, or traces of aggressive pollutants such as sulfides, chlorides, and ammonia found in industrial and marine environments. ZERUST<sup>®</sup> corrosion inhibitor technologies work to combat these causes of corrosion, even acid gases and moisture.



### **ZERUST® PROTECTION FOR THE EXTERIORS OF ELECTRONICS**

Protect exterior surfaces of parts and equipment with ZERUST<sup>®</sup> Vapor Corrosion Inhibitor packaging materials. Wrap and enclose objects of any size to protect them from humidity, dirt, and contaminants. ZERUST<sup>®</sup> VCI Film packaging materials ensure that parts are protected in storage and shipping from contact deterioration and a degraded appearance.



ZERUST<sup>®</sup> ICT<sup>®</sup>510-C Multimetal VCI Film protects an oversized piece of electronic equipment.



ZERUST<sup>®</sup> ICT<sup>®</sup>520-CB1 Anti-Tarnish Film protects metals from rust and tarnish with acid-gas scavenging technology.

#### ZERUST<sup>®</sup> VAPOR CAPSULES



ZERUST<sup>®</sup>/EXCOR<sup>®</sup> Vapor Capsules safeguard electronics from corrosion with advanced VCI technology, designed for enclosed spaces like control panels and electrical cabinets. Easy to install, these capsules emit an invisible, non-toxic vapor that protects exposed metals against rust and tarnish during operation, storage, and shipment. Ideal for use with other ZERUST<sup>®</sup> VCI products for enhanced protection, they ensure metals are ready for immediate processing once removed. Offering up to 1 or 2 years<sup>‡</sup> of corrosion defense, these capsules provide efficient and targeted protection for the electronics industry.

Product Name	Part Number	Volume of Protection (Up to) <sup>*</sup>	Metal Protection	Protection Duration (Up to) <sup>‡</sup>	Quantity
VC1-1(s)	375-M-00006	4 ft³‡		1 year <sup>‡</sup>	50/Case
VC1-1	375-M-00001	4 ft <sup>3‡</sup>		1 year <sup>‡</sup>	50/Case
VC2-1	375-M-00002	35 ft³‡	Multimatal	1 year <sup>‡</sup>	25/Case
VC2-2	375-M-00003	35 ft³‡	Multimetal	2 years <sup>‡</sup>	10/Case
VC6-1	375-M-00004	900 ft³‡		1 year <sup>‡</sup>	4/Case
VC6-2	375-M-00005	900 ft³‡		2 years <sup>‡</sup>	4/Case

#### ZERUST<sup>®</sup> ZAK-M22 VAPOR CAPSULE



The ZERUST®/EXCOR® ZAK-M22 Vapor Capsule harnesses advanced VCI technology for protecting metals in enclosed areas like control panels, complementing other ZERUST® products for optimal corrosion control. Easy to install with an adhesive backing, it includes a unique QR code to facilitate scheduling its replacement schedule. This capsule emits non-toxic VCI molecules that shield against rust and tarnish, during operation, storage, and shipment. Effective for up to 2 years<sup>‡</sup>, ZAK-M22 delivers unparalleled metal preservation in a compact, innovative design.

Product Name	Part Number	Volume of Protection (Up to) <sup>‡</sup>	Metal Protection	Protection Duration (Up to) <sup>‡</sup>	Quantity
ZAK-M22	375-M-00202	35 ft³‡	Multimetal	1 year <sup>‡</sup>	10/Case


#### ZERUST<sup>®</sup> ICT<sup>®</sup> PLASTABS<sup>®</sup>



ZERUST<sup>®</sup>/EXCOR<sup>®</sup> ICT<sup>®</sup> Plastabs<sup>®</sup> utilize advanced VCI technology in compact, polyethylene tabs, perfect for protecting metal parts in tight spaces of electronics. Easy to distribute or affix with an optional adhesive backing, they seal in protective vapors, safeguarding surfaces from corrosion. Emitting a non-toxic, invisible barrier, Plastabs<sup>®</sup> ensures metals are ready for processing after use, offering up to 2 years<sup>‡</sup> of protection for ferrous metals and limited protection for select nonferrous metals without direct contact. A practical, efficient solution for corrosion challenges.

Size	Part Number	Volume of Protection (Up to)*	Metal Protection	Protection Duration (Up to) <sup>+</sup>	Quantity
1" x 1"	425-M-00001	0.4 ft <sup>3‡</sup>	Ferrous protection. Limited	2 years <sup>‡</sup>	1000/Package
0.75″ x 0.75″	425-M-00002	0.2 ft³‡	aluminum and yellow metal protection when	2 years <sup>‡</sup>	1000/Package
0.50" x 0.50"	425-M-00003		used as instructed. Do not	2 years <sup>‡</sup>	1000/Package
0.75" x 0.75" (w/adhesive)	425-M-00004		place in direct contact with aluminum, copper, brass, or		1000/Package
1" x 3" (debossed)	425-M-00010		zinc, and test before use.		1000/Package

#### ZERUST<sup>®</sup> ACTIVDRI<sup>™</sup> PWA PACKETS



ZERUST®/EXCOR® ActivDri<sup>™</sup> PWA Packets offer an efficient dual-action solution for protecting electronics against corrosion and moisture. Combining moisture absorption with invisible, non-toxic Vapor Corrosion Inhibitor (VCI) technology, these packets safeguard sensitive electrical components during operation, shipping, and storage. Suitable for ferrous metals and aluminum, they provide up to 12 months<sup>+</sup> of protection in sealed environments and are compatible with yellow metals and silver.

Product Name	Part Number	Volume of Protection (Up to) <sup>+</sup>	Metal Protection	Protection Duration (Up to) <sup>‡</sup>	Quantity
PWA5	375-M-00212	3.5 ft³‡		1 year <sup>‡</sup>	1,000/Case
PWA10	375-M-00213	7 ft <sup>3‡</sup>		1 year <sup>‡</sup>	500/Case
PWA25	375-M-00214	17.5 ft <sup>3‡</sup>	Multimetal	1 year <sup>‡</sup>	200/Case
PWA50	375-M-00215	35 ft <sup>3‡</sup>		1 year <sup>‡</sup>	100/Case
PWA100	375-M-00210	53 ft <sup>3‡</sup>		1 year <sup>‡</sup>	50/Case

#### ZERUST<sup>®</sup> ACTIVTAB<sup>™</sup>(LS) TABLETS



ZERUST<sup>®</sup>/EXCOR<sup>®</sup> ICT<sup>®</sup> ActivTab<sup>™</sup>(LS) tablets deliver immediate flash corrosion protection for metals in confined spaces, like electronic cabinets, with a simple placement and enclosure sealing process. These invisible, non-toxic VCI vapors safeguard ferrous metals, aluminum, and yellow metals like copper and brass (without direct contact) for up to 6 months<sup>‡</sup> in sealed environments. ActivTab<sup>™</sup>(LS) provides an efficient corrosion prevention solution for hard-to-reach areas.

Product Name / Tablet Size	Part Number	Volume of Protection (Up to) <sup>‡</sup>	Metal Protection	Protection Duration (Up to) <sup>‡</sup>	Quantity
ActivTab™(LS)-25 / 0.25 g	450-M-00100		Ferrous and aluminum protection. Limited yellow metal protection when used as instructed. Do not place in direct contact with copper, brass, or zinc, and test before use.	6 months <sup>‡</sup>	600 Tablets/Bottle and 8 Bottles/Case

#### ZERUST<sup>®</sup> ACTIVCAPSULE<sup>™</sup> FAC1-1(S)



ZERUST<sup>®</sup>/EXCOR<sup>®</sup> ActivCapsule<sup>™</sup> FAC1-1(S) is a simple, effective drop-in flash-corrosion prevention capsule using VCI technology for protecting metals in hard-to-reach areas or alongside other ZERUST<sup>®</sup> products. Easily installed with an adhesive back, it releases non-toxic, invisible vapors that safeguard metal surfaces, allowing for immediate processing postremoval. It offers up to 1 year<sup>‡</sup> of corrosion protection for aluminum and ferrous metals in sealed environments and is compatible with copper and brass, ensuring comprehensive metal safety.

Product Name	Part Number	Volume of Protection (Up to) <sup>‡</sup>	Metal Protection	Protection Duration (Up to) <sup>‡</sup>	Quantity
FAC1-1(S)	375-M-00106	4 ft <sup>3‡</sup>	Ferrous and aluminum protection. Protects yellow metals when used as instructed. Do not place in direct contact with copper or brass, and test before use.	1 year <sup>‡</sup>	50/Case

#### ZERUST® COR TAB® VCI TABLETS



ZERUST<sup>®</sup>/EXCOR<sup>®</sup> Cor Tab<sup>®</sup> VCI Tablets offer an efficient solution for corrosion protection, designed for metal surfaces in tight spaces like electronic components. Easy to deploy, just place the tablets in the target area and seal the enclosure to lock in the protective vapors. These non-toxic, invisible vapors form a protective layer on metal surfaces, which disappears after removal, making metals ready for immediate use. Cor Tab<sup>®</sup> tablets safeguard ferrous and non-ferrous metals from corrosion for up to 6 months<sup>‡</sup> in sealed environments, providing a simple yet effective corrosion prevention method.

Product Name / Tablet Size	Part Number	Volume of Protection (Up to) <sup>‡</sup>	Metal Protection	Protection Duration (Up to) <sup>‡</sup>	Quantity
CT-25 / 0.25 g	450-M-00001	0.25 ft <sup>3‡</sup>		6 months <sup>‡</sup>	600 tablets/bottle and 8 bottles/case
CT-50 / 0.50 g	450-M-00002	0.5 ft <sup>3‡</sup>	Multimetal	6 months <sup>‡</sup>	300 tablets/bottle and 8 bottles/case
CT-10 / 1.00 g	450-M-00003	1.0 ft <sup>3‡</sup>		6 months <sup>‡</sup>	150 tablets/bottle and 8 bottles/case

#### ZERUST® AXXANOL<sup>™</sup> 718-ESS ELECTRICAL CORROSION INHIBITOR SPRAY



ZERUST<sup>®</sup>/EXCOR<sup>®</sup> Axxanol<sup>™</sup> 718-ESS is a versatile corrosion inhibitor spray tailored for the electronics industry, offering robust protection in environments with acid gas vapors and humidity. Ideal for safeguarding electronic components, electric cabinets, and junction boxes, it also serves as a lubricant for metal surfaces like hinges and machinery. This easy-to-apply spray creates a thin, water-displacing film that's non-staining and non-hardening, ensuring electronic parts remain unaffected in terms of conductivity. Suitable for both indoor use and short-term outdoor applications.

Product Name / Model	Part Number	Metal Protection	Quantity
Axxanol <sup>™</sup> 718-ESS / Aerosol cans	350-M-00092AC	Multimatal	12 oz aerosol cans (12/case)
Axxanol <sup>™</sup> 718-ESS / Spray bottles	350-M-00092PT	Multimetal	16 oz spray bottles (w/ spray nozzles) (12/case)

#### ZERUST® ICT®510-C MULTIMETAL VCI FILM



**Custom size ranges (width):** Bags & Tubing: 2" – 125" (flat) 2" – 150" (gusset) Sheeting: 2" – 26' ZERUST®/EXCOR® ICT®510-C Multimetal VCI Film delivers targeted corrosion prevention for the electronics industry, suitable for ferrous and non-ferrous metals in transit or storage. Emitting safe, invisible VCI vapors, it protects electronic components and equipment against rust, with the flexibility of various packaging formats, including rolls, sheets, and bags. Once removed, the VCI evaporates, making metals ready for immediate use. Customizable with options like anti-static additive, ICT®510-C offers a comprehensive solution for electronic components' corrosion challenges.

#### ZERUST® ICT®510-ATS ANTI-STATIC VCI FILM




**Custom size ranges (width):** Bags & Tubing: 2" – 125" (flat) 2" – 150" (gusset) Sheeting: 2" – 26' ZERUST®/EXCOR® ICT®510-ATS VCI Film offers a dual-protection solution for the electronics industry, safeguarding electrical components against electrostatic discharge and corrosion during shipping, storage, or processing. ICT®510-ATS combines anti-static additives with VCI technology to protect a variety of metals, including ferrous, aluminum, and copper, without leaving residue. Ideal for electronics and electrical assemblies, the film ensures metal surfaces are protected by invisible, non-toxic VCIs, allowing for immediate use post-unpackaging. Available in multiple formats like rolls and bags, ICT®510-ATS provides versatile and reliable protection for electronic components in any situation.

#### ZERUST® ICT®520-CB1 ANTI-TARNISH FILM



Custom size ranges (width): Bags & Tubing: 2" – 125" (flat) 2" – 150" (gusset) Sheeting: 2" – 26' ZERUST<sup>®</sup>/EXCOR<sup>®</sup> ICT<sup>®</sup>520-CB1 Anti-Tarnish Film is designed for the electronics industry, preventing corrosion by blocking acid gases during shipping, storage, or assembly. This film, impregnated with acid-gas scavengers, protects sensitive metals like silver, copper, and brass used in electronic components and wiring, ensuring they remain oxidation-free without residue. Compatible with other ZERUST<sup>®</sup> VCI products for comprehensive protection, ICT<sup>®</sup>520-CB1 is cost-effective and clear for easy inspection. Available in rolls, sheets, and bags, with customization options such as an anti-static additive, it safeguards electronic metals.







**EXCOR**<sup>®</sup> ZERUST

### **Global Support**

Algeria Angola Argentina Australia Austria Bangladesh Belarus Belgium Bhutan Bolivia Brazil Canada Chile China Colombia Czech Republic Democratic Republic of the Congo

Denmark Ecuador Estonia Finland France Gabon Germany Hungary India Indonesia Ireland Italy Japan Kazakhstan Korea Latvia Lithuania Luxembourg Malaysia Spain

Mexico Monaco Morocco Nepal Netherlands Nigeria Norway Peru Philippines Poland Portugal Republic of Congo Romania Singapore Slovak Republic Slovenia South Africa

Sri Lanka Sweden Switzerland Taiwan Thailand Tunisia Turkey Ukraine United Arab **Emirates and** MENA (Middle East & North Africa) United Kingdom **United States** Uruguay Vietnam

#### Visit www.zerust.com for more information!

### **Contact Us**

**Northern Technologies International Corporation** ZERUST<sup>®</sup> Business Unit | Corporate Office 4201 Woodland Road, P.O. Box 69 Circle Pines, MN 55014 USA Toll-Free: 1-800-328-2433 | Phone: 1-763-225-6600 sales@zerust.com | www.zerust.com

#### **‡ DECLARATION**

Corrosion protection claims are based on Northern Technologies International Corporation (NTIC) internal-laboratory testing performed Consolin protection claims are based on Normern rechnologies international colorbation (Ninc) interna aboratory testing performed under controlled parameters for containing and contrained international strates will avay and depends on factors such as, but not limited to, the application or use, environmental / storage conditions, surface cleanliness, by substrates, and coating thickness (where applicable). The use of the term "Up to" in reference to time is defined as any time duration from zero up to a specified time frame, but in no event beyond the specified volume of protection. It is the customers/ user's obligation to evaluate product performance, corrosion protection duration, safety, and suitability for inter use within the scope advised in the data sheet and to comply with all applicable laws and regulations. **LIMITED WARRANTY/DISCLAIMER** Warranty is limited to the replacement of a product that fails to a specifications. For full warranty and disclaimer information, visit www.zerust.com/warranty

from zero up t

©2013-2025 Northern Technologies International Corporation (NTIC). All Rights Reserved. NTIC is the owner of the following trademarks: ActivPak®, Cor Tab®, EXCOR®, Flange S Plastabs®, Z-CIS®, Zerion®, ZERUST®, 洁乐特, Z-PAK® and the Color "Yellow". ABRIGO®, UNICO®, ICB®, and VALENO® are registered trademarks of EXCOR GmbH, a Joint Venture Pa ver<sup>®</sup>, ICB<sup>®</sup>, ICT<sup>®</sup>, Natur-VCI<sup>®</sup>, NTI<sup>®</sup>